Form 02

The increase in Total State Funds from the FY 2001 figures reported in last year's application is attributable to a number of changes. One is the inclusion of two new programs: the Asthma Program and the Health Care Program for Children in Foster Care (HCPCFC). A second factor is Medi-Cal provider rate increases which have been 20% on average. Although Asthma and HCPCFC account for approximately \$6.1 million, the provider rate increases and estimated growth in the CCS program accounted for approximately \$85 million Medi-Cal related funds (50% General Fund and 50% Federal Title XIX) and \$16 million non-Medi-Cal CCS (State and County funds). Additionally, estimates for the Child Health and Disability Prevention (CHDP) program increased by \$34 million and there was a \$3 million increase in the Genetically Handicapped Persons Program (GHPP).

Form 04

In some cases, the Department of Health Services uses estimates to assess expenditures for both individuals served and the types of services provided. These estimates are based on the target population and program activities established by legislative authorization and specified in the scope of work for each contractor or local government program. Requiring contractors to bill according to actual amounts spent on each type of individual served and by service provided is impossible within the current administrative and fiscal policies. Changing our contractual or program policies would result in undue financial and administrative hardship to local governments and non-profit community-based organizations that are already stretched very thin financially. This added burden without increased funding would result in many of them not being able to continue to provide needed services to women and children in the state.

Form 05

In some cases, the Department of Health Services uses estimates to assess expenditures for both individuals served and the types of services provided. These estimates are based on the target population and program activities established by legislative authorization and specified in the scope of work for each contractor or local government program. Requiring contractors to bill according to actual amounts spent on each type of individual served and by service provided is impossible within the current administrative and fiscal policies. Changing our contractual or program policies would result in undue financial and administrative hardship to local governments and non-profit community-based organizations that are already stretched very thin financially. This added burden without increased funding would result in many of them not being able to continue to provide needed services to women and children in the state.

Form 06

California Department of Health Services, Genetic Disease Branch, 2000 Newborn Screening Records.

Receiving tx for Sickle Cell Disease means referred to Sickle Cell Center and not lost to follow-up; does not imply penicillin necessarily given/taken.

California Department Health Services, Office of Aids, California 2000 HIV Counseling and Testing Information System. The numbers in the table represent the number of tests conducted not a unique count of individuals who were tested. The Office of Aids does not have information to estimate the number of individuals who tested positive for HIV and who needed and received treatment as requested in Column D of Form 6.

A revised figure for the total number of births by occurrence for last year's application is 519,248 for 1999.

Form 07

Form 07 Note for Rows: (1) Estimate of women delivering in California based on the number of live births reported, including those served in programs funded by the Maternal and Child Health Branch. This figure includes 33,841 pregnant women served in MCH programs: 11,494 in the Adolescent Family Life Program (AFLP) and 4,987 in the Black Infant Health Program (BIH). Women were also served by the California Diabetes and Pregnancy Program (CDAPP) with 17,360 reported in 2001. AFLP and BIH data are for the period January 1, 2001 through December 31, 2001. Medi-Cal eligibility for maternity and infant services was up to 200% FPL. Healthy Families Program (HFP) eligibility was raised from 200% FPL to 250% FPL in November 1999. All women who had Medi-Cal coverage for prenatal care and/or delivery services are included under Title XIX. In prior years, only women with Medi-Cal prenatal coverage were included. (2) The number of infants less than one year of age is from Child Health and Disability Prevention (CHDP) Program data for FY1999-2000. These are assumed to include 11,135 infants served in MCH programs: 9,613 infants served in AFLP and 1,522 served in BIH. For the percent shown in Title XIX column, this includes Medi-Cal plus Medi-Cal Information Only PM160 data. For the percent shown in Private/Other column, this is State General Fund and Title V.

Form 07 Note continued: (3) The number of children 1-22 is children and young adults ages 1 to 21 years from CHDP data for FY1999-2000. These are assumed to include 18,511 children served in the MCH programs: 8,961 children over one year of age served in AFLP, 3,272 male and female adolescents served in the Sibling Program, and 6,278 children over age one year served in BIH. For the percent shown in the Title XIX column, this includes Medi-Cal plus Medi-Cal Information Only PM160 data. For the percent shown in the Private/Other column, this is State General Fund and Title V.

The current information system does not allow for an unduplicated count of Healthy Families Program enrollees and children who received a CHDP service prior to enrolling in Healthy Families in the same year. 4) The number of CSHCN and the percent with Medi-Cal or Healthy Families coverage are from California Children's Services Program, Paid Claims, and CMS Net data for FY1999-00. State and county funds, which are equally shared, are included in Private/Other.

Form 07 Note continued:(5) Other service data not shown on Form 7 include 99,319 clients served by the California Battered Women Shelter Program in FY1999-2000. Some of these women would be reported in rows (1-4) above. Others not reported here include families and communities served by the Fetal and Infant Mortality Review (FIMR). Source for row: (1) State of California, Department of Health Services, Vital Statistics, Center for Health Statistics, 2000 California Birth Statistical Master File: Public Use. Tabulations (by place of residence) done by Maternal and Child Health Branch, April 2002. Both "Expected Source of Payment for Delivery" and prenatal care coverage were used to determine "Primary Source of Coverage" for pregnant women. A woman who had Medi-Cal coverage for either prenatal care or delivery was considered covered by Title XIX. Codes are as follows:(B) Title XIX=Medi-Cal (02), (C) Title XXI=no codes used, (D) Private/Other= all payment source codes except those used in (B) and (E), and (E) None=self pay (09), No charge (10), Medically Indigent (12), Unknown payment source (99), and Medically Unattended (00). Some of the payment source codes used for (D) might include some persons for whom health coverage was actually "none" but could not be separated from "covered" persons within the pertinent codes. Codes used for the category "none" are based in part on the article "Adequacy of Prenatal Care Utilization-California, 1989-94" published in CDC MMWR, August 2, 1996.

Form 08

"Title V deliveries served" includes an estimated 11,494 in the Adolescent Family Life Program and an estimated 4,987 in the Black Infant Health Program. Additional deliveries include an estimated 17,360 for 2001 served by the California Diabetes and Pregnancy Program. "Title V infants served" includes 9,613 infants in the Adolescent Family Life Program and 1,522 in the Black Infant Health Program. For the number of Total deliveries, Title V deliveries, Total infants and Title V infants, the number of 2000 live births (by place of residence) was used as an estimate. For the number of "Deliveries Eligible for XIX" and "Infants Eligible for XIX" a subset of 2000 live births was used as an estimate (subset of all live births for which "expected source of payment for delivery"= Medi-Cal by place of residence). Race and Hispanic origin of mother were used for Section I and II respectively. Column D includes American Indian, Eskimo, and Aleutian. Column E includes Chinese, Japanese, Korean, Vietnamese, Cambodian, Thai, Laotian, Asian Indian, Filipino, Asian-specified, and Asian-unspecified. Column F includes Hawaiian, Samoan, Guamanian, and other Pacific Islander. Source: State of California, Department of Health Services, Vital Statistics, Center for Health Statistics, 2000 California Birth Statistical Master File: Public Use. Tabulations (by place of residence) were done by the Maternal and Child Health Branch.

Data Source: Healthy Families and Medi-Cal for Children Campaign, California Department of Health Services.

Form 11

Performance Measure #01

Data from Medi-Cal files for SSI/SSP persons age 15 and under.

Source: Medi-Cal eligibility and paid claims files for FY 1999-00

Numerator: Beneficiaries from the denominator population who were given at least one service approved by the CCS program that would result in a claim paid by the Medi-Cal program. Denominator: Unduplicated count of Medi-Cal certified persons age 15 and under with SSI codes 20 and 60.

Performance Measure #02

Score based on whether State CSHCN program provides 9 defined categories of specialty and subspecialty services. See attachment to FPM 2.

Performance Measure #03

Measure scored defining "medical home" as the listing of a local primary care provider in the CCS case management file.

Source: The active case files on CMS Net for FY 1999-00 were used to generate the percent of CCS children with a medical home. CMS Net contained 23.3 percent of the total active CCS cases. The total number of active cases in 1999-00 was derived from CCS paid claims and program administrative data.

Numerator: The number of CCS children with a primary care provider identified on CMS Net = 8,073.

The number of active cases on CMS Net = 33,969

The percent of CCS children with an identified local primary care provider= 8,073/33,969 = 23.8%

Extrapolation to derive the total number of CCS active cases with a primary care provider $= 0.238 \times 145,717 = 34,681$

Denominator: The total number of CCS active cases in FY 1999-00 = 145,717

Performance Measure #04

Source: State of California, Department of Health Services, Genetic Disease Branch, 2000 Newborn Screening Records. State of California, Department of Health Services, Center for Health Statistics, 2000 California Birth Statistical Master File Tabulations by occurrence.

A revised denominator for total births by occurrence for last year's application shows total births by occurrence for 1999 was 519,248.

Performance Measure #05

Source of percent immunized: National Immunization Survey:2000 data source on the web at the URL: http://www.cdc.gov/nip/coverage/tables/00/antigen_state.xls.

Denominator: The number of two-year olds in the given year is from the Department of Finance figures, Race/Ethnic Population with Age and Sex Detail, 1970-2040.

Sacramento, California, December 1998.

http://www.dof.ca.gov/html/Demograp/Race.htm

Numerators are estimates "derived" by multiplying the percent (4:3:1:3) by the denominator.

Figures prior to 1998 were revised based on updated information provided in MMWR.

Performance Measure #06

Source: State of California, Department of Health Services, Center for Health Statistics, Vital Statistics, 2000 California Birth Statistical Master File.

Tabulations by place of residence.

State of California, Department of Finance, Race/Ethnic Population with Age and Sex Detail, 1970-2040. Sacramento, California. December 1998. http://www.dof.ca.gov/html/Demograp/Race.htm.

Performance Measure #07

Source: The dental sealant percentage is an unweighted average calculated by the Maternal and Child Health Branch. The data are from the California Department of Health Services, Medical Care Statistics Section provided data for eligibles (denominator). Delta Dental Plan of California provided data for eligibles who received a sealant on at least one permanent tooth (numerator). (Delta Dental Plan of California provided data on the percentage of enrollees ages 7 through 8 who received a sealant on at least one permanent tooth during the calendar year 2000.) The numerators are estimates derived by multiplying the percent by the denominator.

Denominator: State of California, Department of Finance, Race/Ethnic Population with Age and Sex Detail, 1970-2040. Sacramento, California. December 1998. http://www.dof.ca.gov/html/Demograp/Race.htm. (Estimated population of relevant child age group)

Data are not comparable across years because of a change in methodology.

Performance Measure #08

Source: Numerators: State of California, Department of Health Services, Vital Statistics, Center for Health Statistics, 2000 California Death Statistical Master File. "Selected Injury-Related Sections of ICD-10" as modified by the National Center for Health Statistics, Centers for Disease Control And Injury Prevention and Epidemiology and the Prevention for Injury Control (EPIC) Branch, California Department of Health Services.

Tabulations (by place of residence) were done by the Maternal and Child Health Branch. Denominator:State of California, Department of Finance, Race/Ethnic Population with Age and Sex Detail, 1970-2040. Sacramento, California. December 1998.

http://www.dof.ca.gov/html/Demograp/Race.htm.

Beginning in 1999, cause of death is reported using the 10th Revision of the International Classification of Diseases (ICD-10). Cause of death for 1996 through 1998 used the 9th Revision of the ICD-9. Caution should be applied in comparing 1999 and 2000 mortality-related measures to prior years because of the uncertainty regarding the comparability of data resulting from the shift from ICD9 codes used through 1998 to ICD10 in 1999.

Performance Measure #09

Source: State of California, Department of Health Services, Genetic Disease Branch, California Newborn Screening Form, 2000. Tabulations were done by the Maternal and Child Health Branch. The year of birth is used instead of the process year. The figures for all years indicate the percent of mothers who report intending to exclusively breastfeed their newborns upon hospital discharge.

Performance Measure #10

Measure based on hospitals carrying out universal newborn hearing screening in California.

Source: Numerator data were supplied by the California Newborn Hearing Screening program; denominator data from the State of California, Department of Health Services, Vital Statistics.

Numerator: Births in the hospitals performing universal newborn hearing screening in 1999= 50.922.

Denominator: Number of live births by occurrence in California in 1999 = 519,488.

Performance Measure #11

Measure scored based on the insurance coverage listed for active CCS cases on CMS Net.

Source: The active case files on CMS Net for FY 1999-00 and CCS paid claims and program administrative data for FY 1999-00.

Numerator: The number of CCS active cases with insurance coverage, including Medi-Cal and Healthy Families, on CMS Net = 33,203. The total number of active cases on CMS Net = 33,969. The percent of CCS active cases with insurance coverage= 33,203/33,969 = 97.7%. Extrapolation to derive the total number of active cases with insurance coverage in CCS program = $0.977 \times 145,717 = 142,366$.

Denominator: The total number of CCS active cases in FY 1999-00 = 145,717.

Performance Measure #12

Source: The percent of uninsured children is from the UCLA Center for Health Policy Research, Health Policy Fact Sheet, Number of Uninsured Californians Declines to 6.2 Million- 2 Million Are Eligible for Medi-Cal or Healthy Families, March 2002. http://www.healthpolicy.ucla.edu/publications/HPRbrief2.pdf

Numerator is an estimate derived by multiplying the percent by the denominator.

Denominator: State of California, Department of Finance, Race/Ethnic Population with Age and Sex Detail, 1970-2040. Sacramento, California. December 1998. http://www.dof.ca.gov/html/Demograp/Race.htm.

Tabulations were done by the Maternal and Child Health Branch

Performance Measure #13

Sources: Numerator: Medical Care Statistics Section special run to duplicate HCFA-2082 report for eligibles and recipients (update not available). A five percent sample of unduplicated counts of Medi-Cal recipients ages 20 and under during October 1999 through September 2000 was used to estimate the number of clients that received a service. This estimate may not include all Medi-Cal managed care data because, at the time of the run, the tape may not have included all managed care reports. Denominator: Medical Care Statistics Section special run to estimate the monthly average number of Medi-Cal enrollees aged 20 and under during October 1999 through September 2000. The number of children eligible but not enrolled in Medi-Cal was obtained from the report from the UCLA Center for Health Policy Research, The State of Health Insurance in California: Recent Trends and Future Prospects, March 2001. The denominator was the total of the estimated number of enrollees plus the estimated number of eligible but not enrolled in Medi-Cal. The data entry for 1999 has been revised to include the correct estimated number of eligibles but not enrolled in Medi-Cal. The source of data changed in 1999. The data are not comparable across years because of a change in methodology.

Performance Measure #14

This measure is scored based on six characteristics documenting family participation in the CSHCN program, with scores of 0- 3 possible for each characteristic (maximum total = 18). Please see the attachment for this measure.

Performance Measure #15

Source: State of California, Department of Health Services, Vital Statistics, Center for Health Statistics, 2000 California Birth Statistical Master File. Tabulations (by place of residence) were done by the Maternal and Child Health Branch. Observations with missing values were subtracted from the denominator when calculating the percentages. Missing values may include unknown, refusals, unreported, not stated.

Performance Measure #16

Source: State of California, Department of Health Services, Vital Statistics, Center for Health Statistics, 2000 California Death Statistical Master File. Selected Injury-Related Sections of ICD-10" as modified by the National Center for Health Statistics, Centers for Disease Control And Injury Prevention and Epidemiology and the Prevention for Injury Control (EPIC) Branch, California Department of Health Services. Tabulations (by place of residence) were done by the Maternal and Child Health Branch.

State of California, Department of Finance, Race/Ethnic Population with Age and Sex Detail, 1970-2040. Sacramento, California. December 1998.

http://www.dof.ca.gov/html/Demograp/Race.htm. Tabulations (by place of residence) were done by the Maternal and Child Health Branch.

Beginning in 1999, cause of death is reported using the 10th Revision of the International Classification of Diseases (ICD-10). Cause of death for 1996 through 1998 used the 9th Revision of the ICD-9. Caution should be applied in comparing 1999 and 2000 mortality-related measures to prior years because of the uncertainty regarding the comparability of data resulting from the shift from ICD9 codes used through 1998 to ICD10 in 1999 and 2000.

Performance Measure #17

The proportions are considered conservative. They are based on the proportion of facilities designated by California Children Services (CCS) as Regional or Community NICUs. Not all facilities that provide care appropriate for very low birth weight infants seek CCS designation. The Perinatal Facility Interviews conducted in 1995-96 found that 81% of very low birth weight infants were born in CCS-designated Regional and Community NICU facilities or facilities with equivalent levels of care (based on 305 facilities). Source: State of California, Department of Health Services, Vital Statistics, Center for Health Statistics, 2000 California Birth Statistical Master File: Public Use and California Children Services, Approved Hospitals for NICUs (1996, 1997, 1998, 1999, 2000). Tabulations, by place of occurrence, were done by the Maternal and Child Health Branch.

Performance Measure #18

Source: State of California, Department of Health Services, Vital Statistics, Center for Health Statistics, 2000 California Birth Statistical Master File: Public Use. Tabulations (by place of residence) were done by Maternal and Child Health Branch. Cases in which the time of the first prenatal visit was unknown were excluded from the calculations for all years.

Performance Measure SP#01

Measure scored as the percent of children receiving CHDP services in 1998-99, relative to the number of children from families with incomes less than 200% of FPL. Source: CHDP program data for FY 1998-99 and California census data, three year average, for 1997 through 1999.

Numerator: The number of children up to age 19 years who received at least one preventive health exam, as documented on the CHDP billing and reporting form, PM 160.

Denominator: The number of children up to age 19 years whose family income is less than 200 % of FPL.

This measure as scored does not include preventive health examinations given through the Healthy Families program, since this data is not yet available.

Performance Measure SP#03

Source: Numerators: State of California, Department of Health Services, Vital Statistics, Center for Health Statistics, 2000 California Death Statistical Master File.

Denominators: State of California, Department of Finance, Race/Ethnic Population with Age and Sex Detail, 1970-2040. Sacramento, California. December 1998. http://www.dof.ca.gov/html/Demograp/Race.htm.

Tabulations were done by the Maternal and Child Health Branch. Beginning in 1999, cause of death is reported using the 10th Revision of the International Classification of Diseases (ICD-10). Cause of death for 1996 through 1998 used the 9th Revision of the International Classification of Diseases (ICD-9). Caution should be applied in comparing 1999-2000 mortality-related measures to rates prior to those years because of the uncertainty regarding the comparability of data resulting from the shift from the ICD9 codes used through 1998 to ICD10 in 1999.

Performance Measure SP#04

Source: Numerators: State of California, Department of Health Services, Vital Statistics, Center for Health Statistics, 2000 California Death Statistical Master File. "Selected Injury-Related Sections of ICD-10" as modified by the National Center for Health Statistics, Centers for Disease Control and Injury Prevention and Epidemiology and the Prevention for Injury Control (EPIC) Branch, California Department of Health Services. Denominators:State of California, Department of Finance, Race/Ethnic Population with Age and Sex Detail, 1970-2040. Sacramento, California, December 1998. http://www.dof.ca.gov/ html/Demograp/Race.htm. Tabulations were done by the Maternal and Child Health Branch. Beginning in 1999, cause of death is reported using the 10th Revision of the International Classification of Diseases (ICD-10). Cause of death for 1996 through 1998 used the 9th Revision of the International Classification of Diseases (ICD-9). Caution should be applied in comparing 1999-2000 mortality- related measures to rates prior to those years because of the uncertainty regarding the comparability of data resulting from the shift from the ICD9 codes used through 1998 to ICD10 in 1999.

Performance Measure SP#05

Numerators: State of California, Department of Health Services, Vital Statistics, Center for Health Statistics, 2000 California Death Statistical Master File. "Selected Injury-Related Sections of ICD-10" as modified by the National Center for Health Statistics, Centers for Disease Control and Injury Prevention and Epidemiology and the Prevention for Injury Control (EPIC) Branch, California Department of Health Services. Denominators: State of California, Department of Finance, Race/Ethnic Population with Age and Sex Detail, 1970-2040. Sacramento, California. December 1998. http://www.dof.ca.gov/ html/Demograp/Race.htm.Tabulations were done by the Maternal and Child Health Branch. Beginning in 1999, cause of death is reported using the 10th Revision of the International Classification of Diseases (ICD-10). Cause of death for 1996 through 1998 used the 9th Revision of the International Classification of Diseases (ICD-9). Caution should be applied in comparing 1999-2000 mortality-related measures to rates prior to those years because of the uncertainty regarding the comparability of data resulting from the shift from the ICD9 codes used through 1998 to ICD10 in 1999.

Performance Measure SP#06

Source: State of California, Department of Health Services, California Birth Defects Monitoring Program Registry (CBDMP), 1993-2000. The change in the denominator reflects the fact that the number of counties included in the registry was reduced in 1998, 1999, and 2000 compared with prior years. Data for the last three years are from eight counties in the Central Valley. An analysis carried out by CBDMP of the neural tube defect incidence data from 1991-97 suggests the comparability of the 8 county sample with the larger sample used through 1997. The eight counties were deemed sufficient by CBDMP for surveillance purposes in this state.

Numerator: Confirmed cases of NTD in fetal death plus live births reported to monitored counties.

Denominator: Fetal Deaths plus live births among counties participating in California Birth Defects Monitoring Program Registry.

Performance Measure SP#07

This measure evaluates the number of CCS active cases on CMS Net compared to the total number of CCS active cases. Source: Counts of CCS active cases on CMS Net in FY 1999-00 and CCS program paid claims and program administrative data for FY 1999-00.

Numerator: CCS active cases on CMS Net in FY 1999-00.

Denominator: Total number of CCS active cases in FY 1999-00.

Performance Measure SP#08

Sources: State of California, Department of Health Services, California Women's Health Survey, 2000.

The percent refers to the percent of women in the survey who were 18 years or older and reported intimate partner physical abuse in the past 12 months, weighted to the 1990 census data. The number of clients was calculated from two separate data reporting systems used by the shelter agencies, the client-based Shelter Information System (SIS) or the aggregates of tables. The number of clients was summed for each of the two systems, reconciled for those who reported in both systems and then added together. Some forms of physical abuse were condensed from separate questions in 1999 to a single question in 2000. 1990 Census data for California, State of California. Department of Finance. Tabulations were done by the Maternal and Child Health Branch.

Performance Measure SP#09

Source: California Department of Health Services, Division of Chronic Disease and Injury Control, Cancer Control Branch, Tobacco Control Section, percent of youths 12-17 who report having smoked cigarettes in the past 30 days (year 2000).

Denominator: State of California, Department of Finance, Race/Ethnic Population with Age and Sex Detail, 1970-2040. Sacramento, California. December 1998.

http://www.dof.ca.gov/html/Demograp/Race.htm.

Numerator is an estimate derived by multiplying the percent by the denominator. Tabulations were done by the Maternal and Child Health Branch.

Performance Measure SP#2

The percentage shown is the percent of low-income children who are enrolled in California's Child Health and Disability Prevention Program and had a weight-for-height that was above the 95th percentile, or classified as overweight. The numerator is an estimate derived by multiplying the percent by the denominator. This data is from the Pediatric Nutrition Surveillance System of the Centers for Disease Control and Prevention, 1999.

Form 12 Core Outcome Measures

Outcome Measure #01

Sources: Numerator: State of California, Department of health Services, Vital Statistics, Center for Health Statistics, 2000 California Death Statistical Master File by place of residence

Denominator: State of California, Department of Health Services, Vital Statistics, Center for Health Statistics, 2000 California Birth Statistical Master File. Tabulations by place of residence were done by the Maternal and Child Health Branch.

Outcome Measure #02

Sources: Numerator: State of California, Department of health Services, Vital Statistics, Center for Health Statistics, 2000 California Death Statistical Master File (by place of residence).

Denominator: State of California, Department of Health Services, Vital Statistics, Center for Health Statistics, 2000 California Birth Statistical Mater File (by place of residence). Tabulations by place of residence were done by the Maternal and Child Health Branch.

Outcome Measure #03

Sources: Numerator: State of California, Department of health Services, Vital Statistics, Center for Health Statistics, 2000 California Death Statistical Master File by place of residence.

Denominator: State of California, Department of Health Services, Vital Statistics, Center for Health Statistics, 2000 California Birth Statistical Master File (by place of residence). Tabulations by place of residence were done by the Maternal and Child Health Branch.

Outcome Measure #04

Sources: Numerator: State of California, Department of health Services, Vital Statistics, Center for Health Statistics, 2000 California Death Statistical Master File (by place of residence).

Denominator: State of California, Department of Health Services, Vital Statistics, Center for Health Statistics, 2000 California Birth Statistical Master File (by place of residence). Tabulations by place of residence were done by the Maternal and Child Health Branch.

Outcome Measure #05

Source: Numerators: State of California, Department of health Services, Vital Statistics, Center for Health Statistics, 2000 California Fetal Death Tapes (by place of residence), and California Death Statistical Master File (by place of residence).

Denominator: State of California, Department of Health Services, Vital Statistics, Center for Health Statistics, 2000 California Birth Statistical Master File (BY PLACE OR RESIDENCE). Tabulations by place of residence were done by the Maternal and Child Health Branch.

Outcome Measure #06

Sources: Numerators: State of California, Department of Health Services, Vital Statistics, Center for Health Statistics, 2000 California Death Statistical Master File Tape (by place of residence).

State of California, Department of Finance, Race/Ethnic Population with Age and Sex Detail, 1970-2040. Sacramento, California. December 1998.

http://www.dof.ca.gov/html/Demograp/Race.htm.

Tabulations by place of residence were done by the Maternal and Child Health Branch.

Form 12 Negotiated Outcome Measures

Outcome Measure SO#01

Source: Numerators: State of California, Department of Health Services, Vital Statistics, Center for Health Statistics, 2000 California Death Statistical Master File. Denominators: State of California, Department of Health Services, Vital Statistics, Center for Health Statistics, 2000 California Birth Statistical Master File: Public Use. Groups cause of death codes XV Pregnancy, childbirth, and the puerperium (261-273) ICD NoO00-O99. Tabulations were done by the Maternal and Child Health Branch. Beginning in 1999, cause of death is reported using the 10th Revision of the International Classification of Diseases (ICD-10). Cause of death for 1996 through 1998 used the 9th Revision of the International Classification of Diseases (ICD-9). Caution should be applied in comparing 1999-2000 mortality-related measures to rates prior to those years because of the uncertainty regarding the comparability of data resulting from the shift from the ICD9 codes used through 1998 to ICD10 in 1999.

Form C1 HSI 01

Health Status Indicator #01

Source: Numerator: State of California, Office of Statewide Health Planning and Development, Patient Discharge Data, January 1-December 31, 2000. Tabulations were done by the Maternal and Child Health Branch. Primary diagnoses of each discharge abstract were reviewed. Secondary diagnoses were not examined.

Denominator: State of California, Department of Finance, Race/Ethnic Population with Age and Sex Detail, 1970-2040. Sacramento, California, December 1998.

http://www.dof.ca.gov/html/Demograp/Race.htm.

Tabulations were done by the Maternal and Child Health Branch.

Form C1 HSI 02A

Health Status Indicator #02A

This HSI was derived using the percent of Medi-Cal enrollees known to receive CHDP health screening services.

Source: CHDP program data for FY 1998-99 and Medi-Cal eligibility files for FY 1998-99

Numerator: Children under one year of age, enrolled in Medi-Cal, receiving services through CHDP as documented on the CHDP billing and service form, PM 160 Denominator: Total number of children under one year of age enrolled in Medi-Cal.

Form C1 HSI #02B

Health Status Indicator #02B

Data on services received by specific age groups of children in the California Healthy Families Program were not available for 2000.

Form C1 HSI #03

Health Status Indicator #03

Source: State of California, Department of Health Services, Vital Statistics, Center for Health Statistics, 2000 California Birth Statistical Master File: Public Use. Tabulations were done by the Maternal and Child Health Branch. Observations with missing values were subtracted from the denominator when calculating the percents shown.

Form C1 HSI #04A

Health Status Indicator #04A

Source: State of California, Department of Health Services, Vital Statistics, Center for Health Statistics, 2000 California Birth Statistical Master File: Public Use. Tabulations were done by the Maternal and Child Health Branch. Cases with missing birthweight were excluded from the denominator to be consistent with the methodology followed by NCHS.

Form C1 HSI #04B

Health Status Indicator #04B

Source: State of California, Department of Health Services, Vital Statistics, Center for Health Statistics, 2000 California Birth Statistical Master File: Public Use (by place of residence). Tabulations were done by the Maternal and Child Health Branch. Cases with missing birth weight were excluded from the denominator to be consistent with the methodology followed by NCHS.

Form C1 HSI #05A

Health Status Indicator #05A

Source: State of California, Department of Health Services, Vital Statistics, Center for Health Statistics, 2000 California Birth Statistical Master File: Public Use. Tabulations were done by the Maternal and Child Health Branch. Cases with missing birth weight were excluded from the denominator to be consistent with the methodology followed by NCHS.

Form C1 HSI #05B

Health Status Indicator #05B

Source: State of California, Department of Health Services, Vital Statistics, Center for Health Statistics, 2000 California Birth Statistical Master File: Public Use. Tabulations were done by the Maternal and Child Health Branch. Cases with missing birth weight were excluded from the denominator to be consistent with the methodology followed by NCHS.

Form C2 HSI 06

Source: HSI 6A:State of California, Department of Health Services, Vital Statistics, Center for Health Statistics, 2000 California Birth Statistical Master File (by place of residence). Expected payer source for delivery was used. Observations with missing values were subtracted when calculating the percentages. Missing values may include unknown, refusals, unreported, not stated.

HSI 6B: State of California, Department of Health Services, Vital Statistics, Center for Health Statistics, 1999

California Birth Statistical Master File (by place of residence) and the 1999 California Death Statistical Master File (by place of residence) were used to calculate the infant mortality rate.1999 Birth Cohort by (place of residence) was used to compute the rate for MediCal and Other/None birth payment sources for infant deaths. Expected payer source for delivery was used.

HSI 06C & D: Source:State of California, Department of Health Services, Vital Statistics, Center for Health Statistics, 2000 California Birth Statistical Master File: Public Use. Payer source for prenatal care was used. Observations with missing values were substracted from the denomicator when calculating the percents shown. Tabulations were done by the Maternal and Child Health Branch.

Form C2 HSI 07

HSI 07A & B: Medi-Cal eligibility levels vary with the age of children. For 1 through 5 year olds, eligibility is 133% FPL; as indicated on the table, eligibility is 100% FPL for 6 to 19 years old. Source: Medi-Cal Eligibility Branch, California Department of Health Services.

In November 1999, the SCHIP eligibility level in California's Healthy Families Program was increased to 250% FPL. This applies to infants and children. Source: Medi-Cal Eligibility Branch "Changes to Healthy Families Program", December 30, 1999. Data on SCHIP coverage of services for pregnant adolescents were not available at the time of this application.

HSI #07C: Medi-Cal eligibility level for pregnant women is 200% FPL. Source: State of California, Department of Health Services, Medi-Cal Eligibility Branch.

Developmental Health Status Indicator #04

Source: 2000 HCFA-416.

Numerator: Revised HCFA-416 Form element number 1.

Denominator: Revised HCFA-416 is from element number 12a.

The methodology for calculating the 2000 value changed in the FY2002-03 application. Applying this methodology to 1999 would yield 43.8%. Change in data source for 2000

precludes comparing data with earlier years.

Form D1 HSI 01A

Developmental Health Status Indicator #01A

Source: Numerator: State of California, Department of Health Services, Vital Statistics, Center for Health Statistics, 2000 Death Statistical Master File (by place of residence. Selected Injury-Related Sections of ICD-10 as modified by the National Center for Health Statistics, Centers for Disease Control And Injury Prevention and Epidemiology and the Prevention for Injury Control (EPIC) Branch, California Department of Health Services. Tabulations (by place of residence) were done by the Maternal and Child Health Branch.

Denominator: State of California, Department of Finance, Race/Ethnic Population with Age and Sex Detail, 1970-2040. Sacramento, California. December 1998.

http://www.dof.ca.gov/html/Demograp/Race.htm. Tabulations (by place of residence) were done by the Maternal and Child Health Branch.

Beginning in 1999, cause of death is reported using the 10th Revision of the International Classification of Diseases (ICD-10). Cause of death for 1996 through 1998 used the 9th Revision of the ICD-9. Caution should be applied in comparing 1999 and 2000 mortality-related measures to prior years because of the uncertainty regarding the comparability of data resulting from the shift from ICD9 codes used through 1998 to ICD10 in 1999 and 2000.

Form D1 HSI 01B

Developmental Health Status Indicator #01B

Source: Numerator: State of California, Department of Health Services, Vital Statistics, Center for Health Statistics, 2000 Death Statistical Master File (by place of residence). Selected Injury-Related Sections of ICD-10 as modified by the National Center for Health Statistics, Centers for Disease Control And Injury Prevention and Epidemiology and the Prevention for Injury Control (EPIC) Branch, California Department of Health Services. Tabulations (by place of residence) were done by the Maternal and Child Health Branch.

Denominator:State of California, Department of Finance, Race/Ethnic Population with Age and Sex Detail, 1970-2040. Sacramento, California. December 1998. http://www.dof.ca.gov/html/Demograp/Race.htm. Tabulations (by place of residence) were done by the Maternal and Child Health Branch.

Beginning in 1999, cause of death is reported using the 10th Revision of the International Classification of Diseases (ICD-10).

Cause of death for 1996 through 1998 used the 9th Revision of the ICD-9. Caution should be applied in comparing 1999 and 2000 mortality-related measures to prior years because of the uncertainty regarding the comparability of data resulting from the shift from ICD9 codes used through 1998 to ICD10 in 1999 and 2000.

Form D1 HSI 01C

Developmental Health Status Indicator #01C

Source: Numerator: State of California, Department of Health Services, Vital Statistics, Center for Health Statistics, 2000 California Death Statistical Master File (by place of residence). Selected Injury-Related Sections of ICD-10 as modified by the National Center for Health Statistics, Centers for Disease Control And Injury Prevention and Epidemiology and the Prevention for Injury Control (EPIC) Branch, California Department of Health Services. Tabulations (by place of residence) were done by the Maternal and Child Health Branch.

Denominator: State of California, Department of Finance, Race/Ethnic Population with Age and Sex Detail, 1970-2040. Sacramento, California. December 1998.

http://www.dof.ca.gov/html/Demograp/Race.htm. Tabulations (by place of residence) were done by the Maternal and Child Health Branch.

Beginning in 1999, cause of death is reported using the 10th Revision of the International Classification of Diseases (ICD-10). Cause of death for 1996 through 1998 used the 9th Revision of the ICD-9. Caution should be applied in comparing 1999 and 2000 mortality-related measures to prior years because of the uncertainty regarding the comparability of data resulting from the shift from ICD9 codes used through 1998 to ICD10 in 1999 and 2000.

Form D1 HSI 02A

Developmental Health Status Indicator #02A

Developmental Health Status Indicator #02A

Source: Numerator:Office of Statewide Health Planning and Development, CA. Patient Discharge Data (ICD-9), January 1 to December 31, 2000, Public Version A, 24 DX, comma delimited.

Denominator: State of California, Department of Finance, Race/Ethnic Population with Age and Sex Detail, 1970-2040. Sacramento, CA. December 1998.

http://www.dof.ca.gov/html/Demograp/Race.htm. Tabulations were done by the Maternal and Child Health Branch. The rates for 1996-98 have been updated from those reported in the FY2001 ERP because of a change in methodology.

Form D1 HSI 02B

Developmental Health Status Indicator #02B

Developmental Health Status Indicator #02B

Source: Numerator:Office of Statewide Health Planning and Development, CA. Patient Discharge Data (ICD-9), January 1 to December 31, 2000, Public Version A, 24 DX, comma delimited.

Denominator: State of California, Department of Finance, Race/Ethnic Population with Age and Sex Detail, 1970-2040. Sacramento, CA. December 1998.

http://www.dof.ca.gov/html/Demograp/Race.htm.

http://www.dof.ca.gov/html/Demograp/Race.htm.

Tabulations were done by the Maternal and Child Health Branch. The rates for 1996-98 have been updated from those reported in the FY2001 ERP because of a change in methodology.

Form D1 HSI 02C

Developmental Health Status Indicator #02C

Developmental Health Status Indicator #02C

Source: Numerator:Office of Statewide Health Planning and Development, CA. Patient Discharge Data (ICD-9), January 1 to December 31, 2000, Public Version A, 24 DX, comma delimited.

Denominator: State of California, Department of Finance, Race/Ethnic Population with Age and Sex Detail, 1970-2040. Sacramento, CA. December 1998.

http://www.dof.ca.gov/html/Demograp/Race.htm.

Tabulations were done by the Maternal and Child Health Branch. The rates for 1996-98 have been updated from those reported in the FY2001 ERP because of a change in methodology.

Form D1 HSI 03A

Developmental Health Status Indicator #03A

Form D1, Developmental Health Status Indicator #03A

Source: State of California Department of Health Services, Sexually Transmitted Disease (STD) Branch, 2000. The numerator, denominator, and rate were provided by the STD Branch. http://www.dhs.ca.gov/ps/dcdc/STD/docs/chlamydia%201996-2000%20Provisional%20Tables.pdf

Form D1 HSI 03B

Developmental Health Status Indicator #03B

Form D1, Developmental Health Status Indicator #03B Source: State of California Department of Health Services, Sexually Transmitted Disease

(STD) Branch, 2000. The numerator, denominator, and rate were provided by the STD Branch. http://www.dhs.ca.gov/ps/dcdc/STD/docs/chlamydia%201996-2000%20Provisional%20Tables.pdf

Form D1 HSI 04

Developmental Health Status Indicator #04

Source: State of California, Department of Health Services, Children's Medical Services Branch, CHDP billing and screening forms (PM160), FY 1998-99. These are dental assessments. Tabulations were done by the Maternal and Child Health Branch.

NOTE: In reviewing data for years prior to 1999, or the most recent year reported for each measure, it is advisable for the reader to refer to the Notes included in the Title V Application/Report in which that data was first reported.

Form D1 HSI 05

Developmental Health Status Indicator #05

Source: Numerator: California Department of Health Services, Cancer Control Branch, Tobacco Control Section, percent of youths 12-17 who report having smoked cigarettes in the past 30 days (year 2000).

Denominator: State of California, Department of Finance, Race/Ethnic Population with Age and Sex Detail, 1970-2040. Sacramento, California. December 1998.

http://www.dof.ca.gov/html/Demograp/Race.htm.

The numerator is an estimate derived by multiplying the percent by the denominator.

Tabulations were done by the Maternal and Child Health Branch

Form D2 DHSI 06A

Source: State of California, Department of Finance, Race/Ethnic Population with Age and Sex Detail, 1970-2040. Sacramento, CA. December 1998.

http://www.dof.ca.gov/html/Demograp/Race.htm. Tabulations were done by the Maternal and Child Health Branch. The racial and ethnic categories for which data are presented are those used by the California Department of Finance. These include: White/other, Black, American Indian/Eskimo/Aleutian, Asian/Pacific Islander, and Hispanic.

Form D2 DHSI 06B

Source: State of California, Department of Finance, Race/Ethnic Population with Age and Sex Detail, 1970-2040. Sacramento, CA. December 1998.

http://www.dof.ca.gov/html/Demograp/Race.htm. Tabulations were done by the Maternal and Child Health Branch. The racial and ethnic categories for which data are presented are those used by the California Department of Finance. These include: White/other, Black, American Indian/Eskimo/Aleutian, Asian/Pacific Islander, and Hispanic.

Form D2 DHSI 07A

Source: State of California, Department of Health Services, Vital Statistics, Center for Health Statistics, 2000 California Birth Statistical Master File. Tabulations (by place of residence) were done by the Maternal and Child Health Branch.

Form D2 DHSI 07B

Source: State of California, Department of Health Services, Vital Statistics, Center for Health Statistics, 2000 California Birth Tape File. Tabulations (by place of residence) were done by the Maternal and Child Health Branch.

Form D2 DHSI 08A

Source: State of California, Department of Health Services, Vital Statistics, Center for Health Statistics, 2000 California Death Statistical Master File. Tabulations (by place of residence) were done by the Maternal and Child Health Branch.

Form D2 DHSI 08B

Source: State of California, Department of Health Services, Vital Statistics, Center for Health Statistics, 2000 California Death Tape File. Tabulations (by place of residence) were done by the Maternal and Child Health Branch.

For the purposes of DHSI9A, all Hispanics are combined with Whites. All other races include non-Hispanics only.)

Sources; DHSI 9A and 9B: All children 0-19 are from the State of California, Department of Finance, Race/Ethnic Population with Age and Sex Detail, 1970-2040. Sacramento, CA. December 1998. http://www.dof.ca.gov/html/Demograp/Race.htm. Data for the percent in household headed by single parent are from the DOF California Current Population Survey, 2001, the American Indian/Native Alaskan group was not broken out because of very small numbers but is included in the total column. Only children living in primary families or related subfamilies were considered as living in a single parent headed household. Sums may not equal totals due to rounding. The percent in TANF families data are from the Department of Social Services, Research and Development Division, 2000, Characteristics Survey for CalWorks Program, Table 13a where children are defined as 0-18.

http://www.dss.cahwnet.gov/research/CalWORKsRe_400.htm. Data on the number enrolled in Medi-Cal was from a special run from the California Department of Health Services, Medical Care Statistics Section to duplicate the HCFA-2082 report, Medi-Cal eligible counts by age and race/ethnicity for person aged 20 and under. Reporting FFY October 1999 to September 2000 based on October 1999 month of eligibility. Data run as of 1/28/02. High School Drop Outs by Grade Level, Race/Ethnicity 1999-2000:

Form D2 DHSI 09A

DHSI9A continued: California Department of Education, Educational Demographics Unit.Report for Number of dropouts by grade and ethnicity for 1999-2000 using DataQuest,http://data1.cde.ca.gov/dataquest/ SCHIP:CA Managed Risk Medical Insurance Board, Managed Risk Medical Insurance (Data as of 1/4/02) Tables on this website changes and updates from month to month. Number Currently Enrolled in CHIP/Healthy Families Program Subscribers by Race and Ethnicity: 2000 to 2001 http://www.mrmib.ca.gov/MRMIB/HFP/HFPRpt3.html. Foster Home Care:California Department of Social Services, Child & Family Services Division. California University of Berkeley provides statewide, aggregate and county specific data for the child and family services review (Report as of Jan 2000 for children aged 0-18). http://cssr.berkeley.edu/CWSCMSreports/.Food Stamp Program:California Department of Social Services, Research and Development Division. Food Stamps Characteristics Survey 2000. Table 6 - Ethnicity of Food Stamp Recipients. CalWorks and Food Stamps Data Systems Design Taskforce. These race figures are estimates based on the publication listed above. The fraction of children (0-20) was multiplied respectively for totals of all CalWorks recipients. Numerator for the fraction is 1,313,388 and denominator is 1,941,672 to arrive at .676421 as the rate for children (0-20). The rate was then multiplied by the total number of food stamp recipients broken down by race. Numbers for race may not add to total due to rounding.

DHSI9A continued: Number of children enrolled in WIC:

California Department of Health Services, Women, Infant and Children Supplemental Food Branch, WIC enrollees aged 19 years and under Oct. 2000 through Sept 2001 by Ethnicity.

Juvenile Crime Arrest: by Race and Ethnicity, CA Department of Justice, Bureau of Criminal Information and Analysis. Numerator: Reports used:

Juvenile Arrest Reported, 2000, Felony Offenses by Race/Ethnic Group Statewide (Ages 0-17) -July 2001

Juvenile Arrest Reported, 2000, Misdemeanor Offenses by Race/Ethnic Group Statewide (Ages 0-17)-July 2001

Adult Arrest Reported, 2000 Felony Offenses by Race/Ethnic Group Statewide (Ages 18-19)

Adult Arrest Reported, 2000 Misdemeanor Offenses by Race/Ethnic Group Statewide (Ages 18-19)

Rates (per 100,000) of juvenile crime arrests for 1999 have been recalculated to exclude possible duplicate counts of (Ages 0-10) Recalculated rates for 1999 are Total=3,588 White=3,395 Black=7,748 American Indian=2,936 Asian=1,371

DSHI9B: Data for the percent in household headed by single arent are from the DOF California Current Population Survey, 2001, The percent in TANF families data are from the Department of Social Services, Research and Development Division, 2000. Only children living in primary families or related subfamilies were considered as living in a single parent headed household. Sums may not equal totals due to rounding. Characteristics Survey for CalWorks Program, Table 13a. Data on the number enrolled in Medi-Cal was from a special run from the California Department of Health Services, Medical Care Statistics Section to duplicate the HCFA-2082 report. Medi-Cal eligible counts by age and race/ethnicity for person aged 20 and under. Reporting FFY October 1999 to September 2000 based on October 1999 month of eligibility. Data run as of 1/28/02. High School Drop Outs by Grade Level, Race/Ethnicity 1999-2000: California Department of Education, Educational Demographics Unit. Report for Number of dropouts by grade and ethnicity for 1999-2000 using DataQuest,http://data1.cde.ca.gov/dataquest/ SCHIP:California Managed Risk Medical

DataQuest,http://data1.cde.ca.gov/dataquest/ SCHIP:California Managed Risk Medical Insurance Board, Managed Risk Medical Insurance Board (Data as of 1/4/02)
Tables on this site changes and updates from month to month. Number Currently
Enrolled in CHIP/Healthy Families Program Subscribers by Race and Ethnicity: 2000 to 2001 http://www.mrmib.ca.gov/MRMIB/HFP/HFPRpt3.html.

DHSI 9B continued: Foster Home Care: California Department of Social Services, Child & Family Services Division, California University of Berkeley provides statewide, aggregate and county specific data for the child and family services review (Jan 2000) http://cssr.berkeley.edu/CWSCMSreports/

Food Stamp Program: California Department of Social Services, Research and Development Division. Food Stamps Characteristics Survey 2000. Table 6 - Ethnicity of Food Stamp Recipients. CalWorks and Food Stamps Data Systems Design Taskforce. These race figures are estimates based on the publication listed above. The fraction of children (0-20) was multiplied respectively for totals of all food stamp recipients and the fraction of children (0-18) was multiplied respectively for totals of all CalWorks recipients. Numerator for the fraction is 1,313,388 and denominator is 1,941,672 to arrive at .676421 as the rate for children (0-20). The rate was then multiplied to the total number of food stamp recipients broken down by race. Numbers for race may not add to total due to rounding.

Number of children enrolled in WIC: California Department of Health Services, Women, Infant and Children Supplemental Food Branch WIC enrollees aged 19 years and under Oct. 2000 through Sept 2001 by Ethnicity

DHSI9B continued: These race figures are estimates based on the publication listed above.

DHSI 9B continued: Juvenile Crime Arrest: by Race and Ethnicity CA Department of Justice, Bureau of Criminal Information and Analysis Numerator: Reports used: Juvenile Arrest Reported, 2000, Felony Offenses by Race/Ethnic Group Statewide-July 2001

Juvenile Arrest Reported, 2000, Misdemeanor Offenses by Race/Ethnic Group Statewide-July 2001

Adult Arrest Reported, 2000 Felony Offenses by Race/Ethnic Group Statewide (Ages 18-19)

Adult Arrest Reported, 2000 Misdemeanor Offenses by Race/Ethnic Group Statewide (Ages 18-19)

Rates (per 100,000) of juvenile crime arrests for 1999 have been recalculated to exclude possible duplicate counts of (Ages 0-10) Recalculated rates for 1999 are Non-Hispanic=3,413 Hispanic=3,581

Form D2 DHSI 10

California Department of Finance, 2000 Current Population Survey report released March 2001 was used for total population. California 0-19 data from State of California, Department of Finance, Race/Ethnic Population with Age and Sex Detail, 1970-2040. Sacramento, CA. December 1998. http://www.dof.ca.gov/html/Demograp/Race.htm. Note: California MSA data were not available.

Census Bureau Profiles of general demograhic characteristics Metropolitan Area and Components, 1993 with FIPS codes to produce California MSA estimate. Calculations are as follows: California 0-19 Rate:10,724,210/34,735,000, California 0-19 in MSA 32,750,394*.30874363=10,1112476, California 0-19 in non-MSA:10,724,210-10,111,476=612,734.

Form D2 DHSI 11

Source: Actual poverty level numbers by age were provided by a special run from the California Department of Finance. Total population number is from the California Current Population Survey, March 2001.

Form D2 DHSI 12

Source: State of California, Department of Finance, California Current Population Survey, March 2001. Tabulation done by the Department of Finance, Demographic Research Unit.